





Quality products for every area in the facility—

and beyond

Display mounts • Medical carts • Charging systems



































### Products designed to help caregivers thrive

With more than 36 years of designing ergonomic solutions for computer users worldwide—and 24 years specifically in healthcare—Ergotron is uniquely qualified to help your entire facility enhance personal interaction, expand the reach of care and improve operational efficiency.

Enhance personal interaction. Expand the reach of care. Improve operational efficiency.

#### CareFit<sup>™</sup> Slim LCD and Laptop Carts

- Ultra lean, light and nimble
- Offers full sit-to-stand functionality with easy height adjustment
- Features a durable finish and three-function 4" (10,2 cm) castersfor extra maneuverability
- Integrated accessory shelf on LCD cart fits a scanner, printer or wipes
- Integrated storage bin on laptop cart provides a clutter-free workspace



#### StyleView<sup>™</sup> Carts

- Designed for nurses and personalized to enhance workflow and caregiving
- Choices for mounting displays: LCD arms and pivots, secure laptop, and single or dual displays
- Unsurpassed ergonomics whether sitting, standing or maneuvering
- Carts evolve as your needs change several accessories are available to improve productivity
- Carts and power systems fully certified to UL 60601-1



#### Point-of-Care Wall Mount Products

- Enhances personal interaction between caregivers, their patients and patient data
- Ergonomic designs and added features provide ease of motion and proper positioning for optimal workplace comfort
- Choose from a wide range of wall mount products to meet various user, budgetary and space requirements



#### **Charging Systems**

- Charge, sync and/or secure multiple mobile devices
- Available as carts, wall mounts or desktop stations
- Choose from universal, openarchitecture designs or products made for Apple®
- · Certified for safety
- · Lightweight and agile designs



CERTIFIED

SERVICE

#### WorkFit<sup>™</sup> Sit-Stand Workstations

- Promotes a healthier way to work with ergonomic comfort and sit-stand mobility
- Choose from desks, mobile workstations, wall mount and desk mounts
- Additional accessories also available to improve productivity and comfort



### Service and Product Support Programs

- Expect a superior customer experience
- Quality products are backed by specially trained support professionals and optional extended service programs
- Extended Global Service Programs protect your investment and ensure optimal product performance
- Customer Care includes live support via phone, chat and email



#### Our new line of slim and nimble medical carts





#### CareFit Slim LCD Cart

- Fits large all-in-one computer and monitors
- Very low profile; super-compact footprint
- 20" (50 cm) of sit-stand lift
- 5" independent monitor height adjustment; tilt and swivel
- Slide-out keyboard tray
- Includes printer and accessories shelf



#### CareFit Slim Laptop Cart

- Fits small laptops and two-in-ones
- Very low profile; super-compact footprint
- 24.6" (63,3 cm) of sit-stand lift
- Includes pull-out cable storage tray, power brick holder and easy-to-adjust device strap

## CareFit Slim LCD and Laptop Cart: Fits your people, workflow and environment

Short, tall or average clinicians can now work comfortably and effectively—no matter what their stature. Help all of your caregivers thrive with an expansive vertical range that easily adjusts to the ergonomic needs of the broadest range of users. The lightweight design makes it easy to move wherever your work takes you.

The slim depth and small footprint allows you to use it as a point-of-care solution at a patient's bedside, in a hallway or any other area. When not in use, it fits tightly against a wall to free up valuable space.

CaroEit Clim

	LCD Cart (No Drawer)	LCD Cart (With Drawer)	CareFit Slim Laptop Cart
Part number (white/warm grey)			C50-1100-0
Typical LCD size		otimized for lean IT configurations USFF + LCD 21"- 27" up to 17 lbs (7,7 kg)	
Worksurface dimensions		20.7" x 14.3" (52,5 x 36,3 cm) 21" x 13.9" (53,3 x 35,3 cm) 19.7" (50 cm); Height adjustment range: 74,3–124,2 cm	
Base footprint dimensions			
Lift; Height adjustment range			
Warranty			

Caro Eit Clim



Printer and accessories shelf

An easy-to-adjust device strap keeps technology in place

Mount accessories

Included in one-drawer model

Scanner holder

#### Our full line of customizable medical carts

# **⇔** STYLEVIEW<sup>™</sup>

Your cart. Your way.

Choose the StyleView medical cart that best meets your caregiving needs, style and workflow.

StyleView carts are designed to include all the features that caregivers have asked for, with all the open architecture and quality construction that IT departments require.

- Effortless sit-stand height adjustment using patented Constant Force™ technology
- Independent screen positioning and an adjustable back-tilt keyboard tray for comfortable ergonomics
- For patient, caregiver and facility safety, entire carts are tested and fully certified



#### LIGHT-DUTY DOCUMENTATION CARTS



StyleView Lean WOW™ Cart, SV10



StyleView S-Tablet Cart, SV10 for Microsoft Surface



StyleView Tablet Cart, SV10



StyleView Laptop Cart, SV10



40 and 41 Series Laptop version shown Non-powered

#### POINT-OF-CARE DOCUMENTATION & MEDICATION DELIVERY CARTS



**StyleView 42 Series**LCD pivot version shown
Powered with
SLA or LiFe battery



StyleView 42 with Electric Lift LCD arm version shown Powered with LiFe battery (North America only)



StyleView 43 Series LCD arm version shown Non-powered Pre-configured with drawers



StyleView 44 Series LCD pivot version shown Powered with SLA or LiFe battery Pre-configured with drawers



Telemedicine
Dual monitor version
Powered with SLA battery
Pre-configured with
storage for telemedicine
applications

See technical specifications on pages 14-15 and at ergotron.com

STYLEVIEW CARTS

Determine your application:

**Point-of-care carts** facilitate access to medical records and provide medication delivery anywhere in the facility **Telehealth carts** designed for telemedicine and video conferencing anywhere in the facility

Determine the primary use:

Access to medical records and the delivery of medication Access to medical records and medication delivery/management with controlled access Mobile deployment of tablets or laptops

Choose display mount type: LCD arm, LCD pivot, laptop, and tablets & Microsoft Surface









Choose powered, non-powered or add-on power upgrades:
Lithium Iron Phosphate (LiFe), sealed lead acid (SLA), non-powered and power upgrade options









Choose drawers, storage & accessories: Drawers, bins, sani-wipes holder, scanner shelf and more









Add a service program: Extended global service programs protect your investment, ensure optimal product performance and can provide additional support and benefits, such as:



Site readiness • Fast, efficient product installation and integration

Preventive maintenance and extended warranties • Improved asset management

Enhanced in-house product expertise • Equipment audit and health assessment


Next-business-day service contracts • Annual contracts and planned services

Our SV Medical Carts finder tool makes it easy to determine which StyleView configuration will best meet your workflow needs



## Find Your StyleView®

### Choose from multiple drawer options





Four drawers: 1 primary drawer, triple 1 supplemental, single



Six drawers: 1 primary drawer, triple 1 supplemental, triple





Nine drawers: 1 primary drawer, triple 2 supplemental, triple



Three drawers: 1 primary drawer, single 2 supplemental, single



Two drawers: 1 primary drawer, double



One tall drawer: 1 primary drawer, single tall



Two tall drawers: 1 primary drawer, double tall



Fifteen drawers: 1 primary drawer, triple 4 supplemental, triple



Choose from manual key lock drawers or electronic locking drawer systems (with PINs) which enable secure and efficient management of non-controlled medication, reducing the chance for errors. Also supports "Pharmacy mode," allowing all drawers to be unlocked simultaneously.

# ① styleview.ergotron.com/finder

### Choose from a variety of add-on products to enhance the StyleView™ experience



SV43/44 Envelope Drawer 97-853 SV Storage Bin 97-740





SV Tasklight 97-754-002



Extended service programs



Pan Pivot Kit for SV LCD Cart 97-650



SV Dual Monitor Kit\* 98-030



Utility Shelf 97-507-216



Large Utility Shelf\* 97-540-053



SV Scanner Shelf\* 97-780-194



SV Front Tray 98-134



SV Camera Shelf\* 97-776-194



SV Sani-wipes Holder 97-828



Thin Client Mount\* 80-107-200



Universal CPU Holder\* 80-105-064



SV IV Pole Clamp Kit 97-632



SV 3-Function Caster 98-069



SV Telemedicine Bin\* 97-854



Scanner Holder 97-543-207



Many Drawer Replacement Kits



SV Wire Basket, Large 98-135-216



SV Height-Adjustable Keyboard Arm for SV LCD Carts 97-827



SV Ethernet Side Cover LCD: 97-855 Laptop: 97-856



SV Rear VESA Mount Kit 97-512-009



SV Wire Basket, Small 98-136-216

### **LiFeKinnex™ Power System**

Power LiFe-changing care

Safely power your medical carts to last longer so they're ready when you need them most. Using Lithium Iron Phosphate battery chemistry (LiFe), LiFeKinnex charges carts quickly without the risk of overcharging or overheating associated with other battery types. Designed for multiple workflows, the power system allows caregivers to plug in the unit to quickly charge the cart, even during use, or use the optional LiFeKinnex 4-Bay Charger to keep the cart moving with a hot swap.

- Safe battery chemistry
- Longer battery cycle life
- Simple attachment system

- · Quick charging time
- · Easy to connect
- · Patent pending

Compatible with StyleView 4X carts, StyleView 10 light-duty carts, and CareFit Slim LCD and laptop carts

LiFeKinnex Power Module: #98-247 LiFeKinnex Battery: #98-246

LiFeKinnex 4-Bay Charger: COMING SOON



### Why choose a StyleView™ cart powered with Lithium Iron Phosphate (LiFe)?



Certified. Lightweight. Ultrafast recharge. Long battery LiFe.

#### Extremely lightweight and adjustable

The LiFe power system and compact, lightweight base combine with StyleView's ergonomic adjustability to decrease caregiver fatigue and enhance overall wellness and productivity

#### Ultrafast recharge ensures caregiver and cart uptime

A full recharge from full discharge can be completed in around two hours for typical loads.

#### Long battery 'LiFe' minimizes time and cost for maintenance and replacement

Proven to achieve thousands of cycles per lifetime and to last several years in a typical healthcare setting

#### Safe and certified

For patient and caregiver safety, the FULL cart and power system are certified to UL 60601-1

#### Includes StyleLink SKY

Cloud-based fleet management for StyleView carts

#### Proven safe battery chemistry

Through extensive testing, Lithium Iron Phosphate is proven to be a very safe battery chemistry

### More add-on power solutions for non-powered StyleView carts



SV LiFe Power System Upgrade Manufactured by Scott Clark AC 330Wh

- · High capacity, flexible, portable
- · Ultra-fast, built-in charging on board
- · Powers everything on the cart
- Lithium-Iron Phosphate is the safest battery chemistry
- State-of-charge LED indicators
- Availability: US/CA/MX 97-837

Saudi/UK 97-895

UK/HK/MY/SG 97-893 Saudi/EU 97-896

FU 97-894



Manufactured by Amstron DC 300Wh

SV DC Power System

- Low-cost DC power
- · Small form factor
- · On-board, all-in-one charger
- Selectable output voltage
- Mounts on the front or back
- Laptop version 97-943 LCD+CPU version 97-942 Remote User Interface 97-953

(Not available in APAC; country-specific power cords sold separately)

### Light-duty, point-of-need StyleView™ SV10 Carts for laptop, tablet and Surface™





StyleView® Laptop Cart, SV10







StyleView® S-Tablet Cart, SV10 for Microsoft® Surface™

A bracket holds the laptop in place; inconspicuous design allows easy tilting of the screen without any occlusion of keys or views Install tablet in landscape or portrait mode; tilt the tablet to a preferred input position—work with screen angled vertically, horizontally or anywhere in between

Special design of work- surface uses embedded magnets for click-in stability of Surface tablet. Place the Surface in three possible positions: left, right or center



All SV10 carts include a scanner holder

Part #	SV10-1100-0	SV10-1400-0	SV10-1800-0	
Typical LCD Size	Maximum outside width of laptop = 17" (43 cm), which accommodates laptops with 17" screens, as well as some larger models	m), which accommodates laptops with		
Worksurface Dims	18" x 12.5" (45,7 x 31,8 cm)	18" x 12.5" (45,7 x 31,8 cm)	23" x 17" (58 x 43 cm)	
Base Footprint		19" x 19" (48,3 x 48,3 cm)		
Weight Capacity	Laptop ≤ 10 lbs (4,5 kg); cable management storage ≤ 2 lbs (1 kg); column ≤ 20 lbs (9,1 kg), including accessories added to T-slot channel interface and storage hook	Tablet ≤ 2.5 lbs (1,1 kg); cable management storage ≤ 2 lbs (1 kg); column ≤ 20 lbs (9,1 kg), including accessories added to T-slot channel interface and storage hook	Worksurface ≤ 10 lbs (4,5 kg); cable management storage ≤ 2 lbs (1 kg); column ≤ 20 lbs (9,1 kg), including accessories added to T-slot channel interface and storage hook	
Lift	Minimum worksurfac	15" (38 cm) ce height = 33" (84 cm); Maximum worksurface l	height = 48" (122 cm)	
Tilt	_	128°	_	
VESA	_	MIS-D	_	
Warranty		7 years		

### Cloud-based fleet management for StyleView carts

#### StyleLink™ SKY and StyleLink SKY Pro

StyleLink SKY harnesses the power of the cloud to monitor and manage your fleet of StyleView carts using a secure, web-based software application coupled to an endpoint client on the carts' local machines.



StyleLink SKY is an intuitive and scalable software application that provides real-time insight into the status and health of your entire fleet of StyleView carts. A self-monitoring version of the software is included as part of a preventive

maintenance service contract (Bronze, Silver, Gold or Platinum). Or, you can receive StyleLink SKY Pro—which provides Ergotron proactive monitoring—by purchasing a Diamond-level service contract or upgrading an existing service contract.

 Secure, web-based software application that monitors and manages your fleet of StyleView carts



- Seamless and centralized fleet management provides comprehensive cart data to significantly reduce or eliminate cart downtime
- Monitoring helps improve battery life expectancy
- Provides real-time insight into usage patterns, drawer access, battery charge/life and more
- There are no concerns with HIPPA compliance because StyleLink SKY software is isolated from patient records
- · Easy to get, fast to implement

### StyleView™ Lean WOW™ Cart, SV10

Lightweight "Workstation On Wheels"

### Simple documentation cart for your display or all-in-one computer

- Large 23"x20" (58,4 x 50,8 cm) worksurface has plenty of space for keyboard, scanner and small items
- Small footprint fits into tight spaces
- Height-adjustable column moves 16" (40 cm), so you work comfortably sitting or standing
- Monitor riser provides additional height adjustment for the display; supports displays up to 24" (61 cm), 6–16 lbs (2,7 x 7,3 kg)
- Retractable mouse shelf pulls out left or right easily, then stows away when not needed
- Comfortable rounded handle is conveniently tucked under the worksurface
- T-slot channel interface on the cart's column allows integration of accessories
- Enclosed cable management cubby beneath the worksurface stores power adapters, cables and even an ultra-small computer



### StyleView Patient eTable

Aligning with patient engagement initiatives



From education to entertainment, the StyleView Patient eTable aligns perfectly with rapidly growing patient engagement initiatives in healthcare settings.

 Positions easily over a bed or chair, so it's perfect for use in hospital rooms, chemotherapy or dialysis treatment

#### areas, and long-term care facilities

- Open architecture design supports virtually all patient or hospital device configurations
- Includes 2 easily accessible USB ports for connectivity and device charging
- Device charging "tech bay" on the rear edge also can be used for storing small items
- A seamlessly integrated arm puts the tablet within reach, connecting patients to caregivers, information and entertainment
- Surface height from either side up to 16" (40,6 cm); height adjustment range is 30-46" (76,2-116,8 cm)
- Large surface area 30" x 19" (76,2 x 48,3 cm) provides ample room for eating meals, writing or using personal items
- An integrated pull-out drawer and optional basket accessories help keep personal belongings within reach



Telehealth: Connect. Consult. Collaborate.

### StyleView™ Telemedicine Carts

StyleView Telemedicine Carts are specifically designed and configured to support the increasing demands of telehealth — the use of telecommunication technologies for remote patient care. Telemedicine can expand care by enabling connection and collaboration with specialists or teams, regardless of their physical locations.

#### Open architecture

Allows for easy integration of standard equipment

#### Lots of connectivity

A total of 5 USB ports are integrated into cart (3 within bin and 2 on the back side); 1 ethernet port is available on the side of the head unit

#### Everything you need

Camera and Codec/CPU support, secure and ample storage, connectivity and power outlets

#### StyleView quality


Hospital-grade construction, ergonomic and secure

#### Worldwide availability

#### Safety certified

Entire cart and power system is certified to UL/EN/IEC 60601-1 and CAN/CSA C22.2 No.601.1 M90. (Other country-specific certifications currently pending)

> 3 USB ports, adjustable dividers and secure storage for several diagnostic devices with cables Cart designed for neat and compact cable management



Rechargeable SLA (Sealed Lead Acid) battery provides dependable, safe and low-cost power

Camera shelf holds web

or videoconferencing camera

Visit ergotron.com for all StyleView Telemedicine Carts, configurations, accessories and country-specific part numbers



### StyleView Telepresence Carts

(North America only)

Telepresence allows medical professionals to conduct 'virtual' patient appointments easily and cost-effectively. This capability is particularly effective for patients with physical limitations, chronic illnesses and/or transportation issues, so it's ideal for in-home care or care facilities.



SLA-battery Powered SV Telepresence Cart



Non-powered SV Telepresence Cart



Single Monitor SV43-53E0-1 (non-powered) SV44-53E1-1 (SLA powered)



Dual Monitor SV43-56E0-1 (non-powered) SV44-56E1-1 (SLA powered)



Back-to-Back Monitors SV44-57E1-1 (SLA powered)



## Transform an existing StyleView Cart\* into a low-cost telepresence cart

(Available worldwide)

Telepresence Kits let you easily convert an existing StyleView cart\* for use in telepresence applications — combining the power of videoconferencing with the point-of-care benefits of StyleView. Upgrade kits include a large storage drawer (with divider and keys), travel stop, camera shelf for video/web camera, and a Codec/CPU holder. Then choose from single, dual or back-to-back monitor options.

#### StyleView Telepresence Upgrade Kits:

97-870 SINGLE MONITOR 97-872 BACK-TO-BACK MONITOR

\*Cart requirements: Non-powered / LCD pivot with 1 drawer / SV43-1310-0 SLA-battery powered / LCD pivot with 1 drawer / SV44-1311-1

### StyleView<sup>™</sup> Transfer Cart

A cart designed to streamline workflow

- Securely stores, transports and dispenses medications and supplies
- Holds up to 120 small or 40 large drawers, accessible from either side of cart; 36 shelves are removeable or repositionable

#24-421-062



### The Peanut<sup>™</sup> (North America only)

### Lightweight, fixed-height carts for laptops and tablets

- Fixed worksurface is a comfortable 40" high
- Powder-coated steel construction
- Snap-on cable sleeve organizes and protects your cords
- Comes with 3" twin-wheel rubber casters (2 locking)
- Tablet version comes with three options to secure device
- Lifetime warranty
- Made in the U.S.A. and Built with Anthro-DNA; TAA compliant





Peanut for Tablets PT2GMPW3





### Zido® Carts (North America only)

### Adjustable-height carts are ideal for healthcare

- Compact, mobile footprint
- Height can easily be set from 30"-40" with a simple squeeze of a lever
- · Large, 4" twin-wheel casters (2 locking) travel easily
- · Lifetime warranty (5 years on gas cylinder)

· Made in the U.S.A. and Built with Anthro-DNA; TAA compliant















Zido Adjustable-Height Cart

Zido EMR Cart Package

Zido Ultrasound **Cart Package** 

BZD02CG/CG4

Zido EKG **Cart Package** 

BZD03CG/CG4

Zido Phlebotomy **Cart Package** 

**Zido Computer** Cart Package

**Pole Cart** 

	22" ZAL22CG/CG4
Part #	25" Light Load ZAL25CG/CG4
	25" Heavy Load ZAH25CG/CG4
Uses	Healthcare, lab and general office

BZD01CG/CG4

ound

BZD04CG/CG4

BZD06CG/CG4

98-205-450

nsport a laptop or tablet direct to patients	Transport ultrasou supplies to patie
are, lab and Trai	

Transport EKG equipment Transport phlebotomy supplies to patient to patient

Easily transport computer equipment and accessories anywhere you need to go

Stable, simple column supports and transports computer equipment

### StyleView Cart Specifications

			LB kg					
		Typical Size	Weight Capacity	Lift	Tilt	Pan	Rotation	VESA
	LCD	≤ 24"	See website	Arm 27" (68,6 cm) Lift Pivot 25" (63,5 cm)	Arm 65° Lift Pivot 25°	Arm 180° Lift Pivot 24°	Arm 360° P/L Lift Pivot 90° P/L	MIS-D
pa		Includes one-			-foot coiled cord k™ software, se			oower system
OWel		≤ 17"	See website	20" (51 cm)	_	_	_	_
LIFe Powered	Laptop Includes one-battery 40 Ah power system, 10-foot coiled cord, two hospital-grade AC outlets, power system system, 10-foot coiled cord, two hospital-grade AC outlets, power system interface, StyleLink software, secure laptop compartment						oower system	
-	LiFe Cart featu	res include work tray, left/right m			ner holder brack asket, cable stor			k-tilt keyboard
		Warranty: 5 ye			r supply compon apacity guarante		LiFe battery,	
	LCD	≤ 24"	See website	Arm 27" (68,6 cm) Lift Pivot 25" (63,5 cm)	Arm 65° Lift Pivot 25°	Arm 180° Lift Pivot 24°	Arm 360° P/L Lift Pivot 90° P/L	MIS-D
ered		Includes two-			-foot coiled cord k™ software, se			oower system
SLA Powered	Lanton	≤ 17"	See website	20" (51 cm)	_	_	_	_
SLA	Laptop Includes two-battery 66 Ah power system, 10-foot coiled cord, four hospital-grade AC outlets, power user interface, StyleLink software, secure laptop compartment							oower system
	SLA Cart featur	res include work tray, left/right m			ner holder brack asket, cable stor			k-tilt keyboard
	5-year warranty, excluding electrical/electronic components							





Compliant with EN 60601-1



	Certification Standard	Certification Mark	Grounded Plug & Outlet
US	UL 60601-1	cTÜVus	North American NEMA 5-15P Hospital Grade
Canada	CAN/CSA C22.2 No. 601.1 M90	cTÜVus	North American NEMA 5-15P Hospital Grade
Mexico	As Needed	As Needed	North American NEMA 5-15P Hospital Grade
Europe	EN 60601-1	CE	European CEE 7
Ireland/ United Kingdom	EN 60601-1	CE	United Kingdom BS 1363
Hong Kong/ Malaysia/Singapore	IEC 60601-1	Not Applicable	United Kingdom BS 1363
China	IEC 60601-1	Not Applicable	GB2009-1 GB1002-1
Australia/ New Zealand	IEC 60601-1	C-Tick	Australian AS NZS 3112
Saudi Arabia (EMR SLA)	EN 60601-1	Not Applicable	United Kingdom BS 1363 European CEE 7

### Mobile MediaCenter: mobility with versatility

Stretch your investment by supporting a range of projection and videoconferencing needs throughout the facility — from boardroom to the surgery center.



Neo-Flex® MediaCenters feature ease of mobility, 90° display rotation, 20" (51 cm) of effortless height adjustment and 20° independent display tilt.

Optional Camera Shelf Kit creates a mobile videoconferencing solution that the entire facility can easily use.






Optional Camera Shelf Kit 97-491-085



Cable Shelf shown with optional Power Strip Carts feature 4" (10,2 cm) locking casters



		WediaCenter LD	MediaCenter VIID	MediaCenter OnD	
Part # (color)		24-190-085 (black)	24-191-085 (black)	24-192-085 (black)	
	Option	al Accessories: MMC Camera Shelf Kit 97-	-491-085; MMC 800 mm Kit 97-489; MMC	VESA CPU Kit <b>97-527-009</b>	
	Typical LCD Size	27–55″	27–55" 37–65" 50–70"		
	L	LCD SIZE IS APPROXIMATION. DI CD SIZE MAY BE EXCEEDED AS LONG AS SCREEN V	IMENSION IS DIAGONAL MEASUREMENT OF SCREI VEIGHT DOES NOT EXCEED MAXIMUM WEIGHT CA		
Weight Capacity		25-50 lbs (11,4-22,7 kg)	50-90 lbs (22,7-40,9 kg)	90-120 lbs (40,9-54,4 kg)	
		Main shelf 30 lbs (13,6 kg); cable shelf 5 lbs (2,2 kg); if MMC Camera Shelf is added, display weight capacity is diminished by 3 lbs (1,4 kg); if 660/700/800 mm Accessory Kit is added the display weight capacity is diminished by 5 lbs (2,2 kg)			
	Lift		20" (51 cm)		
	Tilt	20°			
	Rotation	90° See website for details			
	VESA	MIS-D/E/F MIS-D/F MIS-D/F See website for details See website for details See website for details			
Wa	rranty		3 years		



EXPERIENCE the difference with our Global Service Programs Visit ergotron.com for details about all of our service options



### **LX Wall Mount Systems**

Enhances interaction between the caregiver, patient and the patient's data

- Ultimate flexibility of monitor and keyboard positioning
- 20" (51 cm) height range allows users to switch between sitting and standing positions for a healthier way to work
- Ergonomic back-tilt keyboard tray ensures wrists remain in a neutral position to increase comfort and help avoid repetitive-stress injuries
- Keyboard platform is very stable for extensive data entry and tested to be 3 times more rigid than other keyboard arms
- Rotation Stop on wall mount base limits turn of extension base connection to 180°, preventing extension from contacting wall







LX Sit-Stand Wall Mount System

LX Wall Mount System

LX Wall Mount System, White

Part # (color)	Includes medium CPU Holder (silver): 45-358-026 (polished aluminum) Includes small CPU Holder (black): 45-359-026 (polished aluminum)	Includes medium CPU Holder (silver): 45-247-026 (polished aluminum) Includes small CPU Holder (black): 45-253-026 (polished aluminum)	Does not include a CPU holder 45-551-216 (white) White CPU Holder ordered separately: Thin Client Mount: 80-107-216 Small CPU Holder: 80-063-216 Vertical Universal CPU Holder: 97-468-216
System includes	10" and 34" (25,4 and 86,4 cm) wall tracks with 2 black track covers, LX Sit-Stand Wall Mount LCD Arm, LX Sit-Stand Keyboard Arm, gel wrist rest, mouse holder, CPU Holder, two 10' (25,4 cm) cable channels, mounting kits for hollow-wall and wall-stud installation	10" and 34" (25,4 and 86,4 cm) wall tracks with 2 black track covers, LX Wall Mount LCD Arm, LX Keyboard Arm, gel wrist rest, mouse holder, CPU Holder, two 10" (25,4 cm) cable channels, mounting kits for hollow-wall and wall-stud installation	10" and 34" (25,4 and 86,4 cm) wall tracks and brackets, LX Wall Mount LCD Arm, LX Keyboard Arm, gel wrist rest, mouse pad, mouse holder, two 10" (25,4 cm) cable channels, mounting kits for hollow-wall and wall-stud installation
Typical LCD Size	≤ 42"	≤ 32"	≤ 32"
		DIAGONAL MEASUREMENT OF SCREEN. LCD SIZE MANOT EXCEED MAXIMUM WEIGHT CAPACITY OF THI	
Weight Capacity	≤ 7–25 lbs (3,2–11,3 kg)	≤ 5–25 lbs (2,3–11,3 kg)	≤ 5–25 lbs (2,3–11,3 kg)
Lift	20" (51 cm)	13" (33 cm)	13" (33 cm)
Depth	Folds to 6.8" (17,3 cm)	Folds to 5.3" (13,5 cm)	Folds to 5.3" (13,5 cm)
VESA	MIS-D/E/F	MIS-D	MIS-D
Warranty 10 years			

Visit ergotron.com for complete information on LX Wall Mount Systems



### Sit-stand ergonomics secure, compact and enclosed

### Perfect for space-constrained patient rooms

StyleView Enclosures provide a smooth vertical height adjustment and folds up into a slim, compact unit when not in use.

#### Sit-stand ergonomics

Move from a sitting to a standing position whenever you want. True ergonomic designs provide a healthier, more comfortable way to work.

#### Extreme security and stability

A keyless locking mechanism protects patient data for compliance with privacy requirements and a unique cable management system conceals and organizes the cords, making cleaning a snap! Its stable, slide-out keyboard can support extensive data entry.





Folds to less than 4" (9,7cm)





StyleView Sit-Stand Enclosure



StyleView VL Enclosure

Part # (color)	<b>60-610-062</b> (white) <b>60-610-060</b> (black)	<b>60-595-062</b> (white)		
Includes	Enclosure, velcro kit (attaches keyboard to keyboard tray), cable management wrap, antimicrobial wrist rest. Wall footprint 38.2"H x 26.6"W (97 x 67,5 cm)	Enclosure, wall plate, mounting template, vertical lift, slide-out keyboard tray, wrist rest, mouse pouch, scanner holder, internal cable management, batteries, monitor mounting hardware, wall mounting hardware, keys		
Typical LCD Size	≤ 22"  Maximum monitor physical dimensions 20.5"W x 13.5"H x 2.5"D (52.1 x 34.3 x 6,4 cm). Monitor depth greater than 2.5" (6,4 cm) is allowable, however screen will protrude beyond profile of unit in such cases	≤ 22"  Maximum monitor physical dimensions 20.7" W x 14.7" H x 2.8" D (52,6 x 37,3 x 7 cm). Assumes VESA hole pattern is centered on the back of the display		
	ON. DIMENSION IS DIAGONAL MEASUREMENT OF REEN WEIGHT DOES NOT EXCEED MAXIMUM WEIG			
Weight Capacity	12–24 lbs (5,4–10,9 kg) Listed weight capacity represents total load. Thin client device 3–10 lbs (1,4–4,5 kg); monitor 7–12.5 lbs (3,2–5,7 kg); keyboard and worksurface 0.5–1.5 lbs (0,2–0,7 kg)	8–33 lbs (3,6–14,9 kg) Listed weight capacity represents total load, including monitor and contents of keyboard tray, mouse pouch and scanner holder. Maximum load capacity: monitor pivot 18 lbs (8,2 kg); thin client device compartment 20 lbs (9,1 kg); door/worksurface 50 lbs (22,6 kg)		
Lift Lift	20" (51 cm)	9" (23 cm)		
Pan	_	LCD 10° Display size may restrict motion. Keyboard 120°		
VESA	MIS-D	MIS-D		
Depth	3.8" (9,7 cm) closed 19.3" (48,9 cm) open	6.75" (17 cm) closed 20.6" (53 cm) open		
Warranty	5 years 1-year warranty on all electronic components (excludes AA batteries)	5 years 1-year warranty on all electronic components (excludes AA batteries)		

### Neo-Flex Dual Monitor Wall Mount and Keyboard Wall Mount

Maximize your space! This low-profile system enhances PACS implementation by providing convenient access to digital records. Tilting dual monitors reduce glare and improve sight lines. The wall-mounted keyboard tray lets you enter data at the point of care, then folds up flat — just 5" (13 cm) from wall — when not in use.

Neo-Flex Dual Monitor Wall Mount 28-514-800 (grey & black)

Neo-Flex Keyboard Wall Mount 45-403-062 (grey)

#### Neo-Flex Wall Mount Lift

Add greater range of movement to your LCD display: raise or lower it 5", pan, tilt and rotate 90°. Its slim profile makes it perfect for areas where space is at a premium.

**60-577-195** (black)



#### 200 Series Combo Arm

Attach your LCD and keyboard to free up space. This wall unit solution features 3-point telescoping motion, providing greater reach to bring the system to where it is needed.

45-230-216 (white) 45-230-200 (black)



### Worksurface with pull-out keyboard tray facilitates caregiver workflow

- ① Patented Constant Force™ lift-and-pivot motion technology provides premium 25" (63,5 cm) LCD height adjustment, portrait-to-landscape rotation and 30° tilt
- 2 Durable, easy-to-clean exterior composed of aluminum and high-grade plastic
- ③ Integrated mouse and barcode scanner holder provide easy access
- 4 Fold-down worksurface/keyboard tray to support workflow needs. Worksurface is 22.75" W x 10.6" D (57,8 x 26,9 cm). Keyboard tray is 18.6"W x 9"D (47,2 x 22,8 cm)
- (5) Ergonomic back-tilt keyboard tray ensures wrists remain in a neutral position during data entry. Includes slide-out mouse tray
- © Clean, concealed and neat routing of cables through the expansive cable management system
- ① Extend LCD and keyboard up to 43" (109 cm) from wall; fold equipment back out of the way when not in use. With worksurface in storage position, system depth is as little as 8" (20,3 cm). With keyboard in storage position, system depth is as little as 12" (30,5 cm)
- Optional Extender Arm increases range of motion for even greater reach



SV Sit-Stand Combo Extender Arm 45-261-026 (aluminum) 45-261-216 (white)



CPU Holder Small: 45-272-026 (aluminum) 80-063-216 (white) Medium: 97-468-202 (aluminum) 97-468-216 (white)



Mouse Tray Upgrade Kit 97-805-055 (black) For older versions of Sit-Stand Combo Arm with Worksurface



Scanner Shelf. VESA Attach 97-815 (black) 97-815-062 (white)



Thin Client Mount 80-107-200 (black) 80-107-216 (white)

Extension

Warranty

≤ 43" (109 cm)

with Extender ≤ 60" (152 cm)



StyleView Sit-Stand





StyleView Sit-Stand



		Combo Arm with Worksurface	StyleView Sit-Stand Combo Arm	Combo System with Worksurface	StyleView Sit-Stand Combo System	
		<b>45-260-026</b> (polished aluminum)	<b>45-266-026</b> (polished aluminum)	Medium CPU holder and wall track: 45-270-026 (polished aluminum) Small CPU holder and wall track: 45-272-026 (polished aluminum)	Medium CPU holder and wall track: 45-271-026 (polished aluminum) Small CPU holder and wall track: 45-273-026 (polished aluminum)	
	art # blor)	<b>45-260-216</b> (white)	<b>45-266-216</b> (white)	Medium CPU holder and wall track: 45-270-216 (white) Small CPU holder and wall track: 45-272-216 (white)	Medium CPU holder and wall track: 45-271-216 (white) Small CPU holder and wall track: 45-273-216 (white)	
		Optional Extender Arm 45-261-026 (polished aluminum) 45-261-216 (white)	Optional Extender Arm 45-261-026 (polished aluminum) 45-261-216 (white)	Optional Extender Arm 45-261-026 (polished aluminum) 45-261-216 (white)	Optional Extender Arm 45-261-026 (polished aluminum) 45-261-216 (white)	
Includes		Sit-Stand Combo Arm with worksurface, wall mount bracket, track mount bracket kit, height- adjustable LCD mount, wrist rest, scanner and mouse holder, worksurface with integrated keyboard tray, VESA monitor mounting kit, cable ties	Sit-Stand Combo Arm, wall mount bracket, track mount bracket kit, height-adjustable LCD mount, wrist rest, scanner and mouse holder, integrated keyboard tray with let/ right mouse tray, handle, VESA monitor mounting kit, cable ties	Sit-Stand Combo Arm with worksurface, 34" Wall Track with (2) black track covers, CPU Holder, CPU spacer, (2) 10" cable channels, CPU and Arm track mount bracket kits, Wall Track fasteners for concrete and wood, CPU direct wall mount kit, height-adjustable LCD mount, wrist rest, scanner and mouse holders, integrated keyboard tray, handle, VESA monitor mounting kit, cable ties	Sit-Stand Combo Arm, 34" Wall Track with (2) black track covers, CPU Holder, CPU spacer, (2) 10" cable channels, CPU and Arm track mount bracket kits, Wall Track fasteners for concrete and wood, CPU direct wall mount kit, height-adjustable LCD mount, wrist rest, scanner and mouse holders, integrated keyboard tray with left/right mouse tray, handle, VESA monitor mounting kit, cable ties	
	Typical LCD Size		≤	24"		
			S APPROXIMATION. DIMENSION IS DIAGONAL IN S LONG AS SCREEN WEIGHT DOES NOT EXCEE		т.	
Weight Capacity		Display 6–18 lbs (2,7–8,2 kg); keyboard, mouse and barcode scanner 4 lbs (1,8 kg) and up to 10 lbs (4,5 kg) on worksurface	buse and barcode scanner (b 25 lbs (11,4 kg)) will fill all fill all of the control of the contr		Display 6–18 lbs (2,7–8,2 kg) or up to 25 lbs (11,4 kg) with tilt and lift lock-out features engaged; keyboard, mouse and barcode scanner 4 lbs (1,8 kg); 45-271-026: CPU 50 lbs (22,7 kg) 45-273-026: CPU 40 lbs (18 kg)	
Lift		LCD and keyboard adjust 20" (51 cm) in tandem with single-motion; LCD adjusts 5" (13 cm) independently; maximum LCD height adjustment 25" (64 cm)	CD and keyboard adjust 20" (51 cm) in tandem with single-motion; LCD adjusts 5" (13 cm) independently; maximum LCD height adjustment 25" (64 cm)		LCD and keyboard adjust 20" (51 cm) in tandem with single-motion; LCD adjusts 5" (13 cm) independently; maximum LCD height adjustment 25" (64 cm)	
	Tilt	LCD 30° ↑ 25° / ↓5°	LCD 30° ↑ 25° / ↓5°	LCD 30° ↑ 25° / ↓ 5°	LCD 30° ↑ 25° / ↓ 5°	
	Pan		36	0°		
Rotation		90°	360°	90°	360°	
	VESA		MI	S-D		
De	pth	Folds to 8" (20,3 cm)	Folds to 12" (30,5 cm)	Folds to 8" (20,3 cm)	Folds to 12" (30,5 cm)	

≤ 39.75" (101 cm)

with Extender  $\leq 56.75''$  (144 cm)

≤ 39.75" (101 cm)

≤ 43" (109 cm)







StyleView Sit-Stand Combo System with Worksurface and Extender Arm folds to 8" (20,3 cm)



StyleView Vertical Lift for high-traffic areas folds up into a slim, compact unit when not in use



### Compact ergonomics; extremely low profile

Ideal for patient rooms and high-traffic areas, StyleView® Vertical Lifts give caregivers ergonomic comfort in a compact, low-profile wall mounted workstation. In a patient room setting, the pan of the keyboard and display promotes interaction, and the slide-out keyboard tray provides caregiver with comfortable data entry. Units fold up to as little as 4" (10,2 cm) deep when not in use.

Sit-Stand Vertical Lifts allow users to adjust between sitting and standing working heights. The entire system—monitor, keyboard and mouse—moves vertically 18" (46 cm) with a single, smooth motion to accommodate the heights of multiple users.



StyleView Sit-Stand Vertical Lift,



StyleView Vertical Lift, Patient Room



StyleView Sit-Stand Vertical Lift, High Traffic Area



StyleView Vertical Lift, High Traffic Area



Vertical Lift Auto-Retracting Keyboard Kit

		Patient Room	Patient Room	High Traffic Area	High Traffic Area	Keyboard Kit
Part # (color)		61-080-062 (white) 61-080-085 (black)	60-609-216 (white) 60-609-195 (black)	61-081-062 (white) 61-081-085 (black)	<b>60-593-216</b> (white) <b>60-593-195</b> (black)	97-487-800 (black/white/grey), available US/CA/MX For use with Vertical Lift High Traffic models 60-593-216 and 60-593-195
Includes		Sit-stand lift chassis, monitor pivot, covers, shelf, retractable keyboard tray, slide-out mouse tray, wrist rest, mouse pouch, scanner holder	Vertical Lift, slide out panning keyboard tray, mouse pad (built into keyboard tray) wrist rest, mouse pouch, mouse and scanner holder	Sit-stand lift chassis, monitor pivot, covers, auto-retractable keyboard tray, slide-out mouse tray, wrist rest, mouse pouch	Vertical Lift, mouse pad, wrist rest, mouse pouch	Keyboard tray lift assembly, wrist rest, multiple covers (grey, black, white), Velcro and adhesive strips
		Opti	onal Accessories: Vertical CPU Holder 97	-468-202 (silver); Vertical Small CPU Hold	er 80-063-200 (black)	
Typical LCD Size		≤ 24"	≤ 24"	≤ 24"	≤ 24"	_
		LCD	LCD SIZE IS APPROXIMATION. DI SIZE MAY BE EXCEEDED AS LONG AS SCREEN V	MENSION IS DIAGONAL MEASUREMENT OF SCR VEIGHT DOES NOT EXCEED MAXIMUM WEIGHT C		
Weight Capacity		5-30 lbs (2,2-13,6 kg)	8-33 lbs (3,6-14,3 kg)	5-30 lbs (2,2-13,6 kg)	5-30 lbs (2,3-13,6 kg)	.75-2.5 lbs (0,34-1,13 kg)
	Lift	18" (46 cm)	9" (23 cm)	18" (46 cm)	9" (23 cm)	-
	Tilt	10°	LCD 10° Back-tilt keyboard tray 10°	10°	LCD 10° Back-tilt keyboard tray 10°	-
	Pan	LCD 50° Keyboard 120° See website for details	50° Display size may restrict motion Keyboard 120°	_	_	_
	VESA	MIS-D	MIS-D	MIS-D	MIS-D	_
De	pth	6" (15,2 cm)	4.5" (11,4 cm)	4" (10,2 cm)	4" (10,2 cm)	_
Exte	nsion	_	18.8" (47,9 cm)	_	12" (30,5 cm)	_
Warranty				5 years		

### Radiology Tables: Advanced technology for effective image reading (North America only)

Carl's Table CT15 for Radiology (pictured right)

- · Work sitting, standing or reclining
- Height range adjusts 30–49.5" high (76,2 x 125,7 cm) with electric legs; table tilts 0–15 degrees
- Programmable presets let users record up to 100 sit/stand/recline positions
- Unique Monitor Control System adjusts the height and depth of the monitor bar with push-button control
- Supports up to 3 monitors; upgradable to 4+1 modality





#### Steve's Station Essential for Radiology (pictured left)

- Electric lift sit-stand legs and spring lift keyboard surface combine for a height range of 54.5-22.25" (138,4-56,5 cm)
- Innovative Monitor Easy Track reduces eye strain; easily slide the entire bank of (up to six) monitors forward and backward in unison
- Contoured surfaces feature smooth, curved edges that are ergonomically comfortable
- Four pre-configured kits expand the desk and support unique modalities
- Supports weight and lift capacity of 200 lbs (90,7 kg)

For more information, email radiologypresale@ergotron.com



### Optimal viewing for large displays

Get unprecedented height adjustability in an extremely low profile module. The revolutionary design of our Glide Wall Mounts lets users effortlessly raise and lower large displays by up to 18" (46 cm) and tilt the screen up to 10° to avoid glare.

Similarly, our Interactive Arms let you easily lift, swing or turn displays for optimal viewing while relieving eye, neck and back strain.





Glide Wall Mount. Glide Wall Mount. Glide Wall Mount.





Interactive Arm.



Interactive Arm.



Interactive Arm.

	LD-X	HD	VHD	LD	HD	VHD
Part # (color)	<b>61-113-085</b> (black)	<b>61-061-085</b> (black)	<b>61-128-085</b> (black)	<b>45-361-026</b> (polished aluminum)	<b>45-296-026</b> (polished aluminum)	<b>45-304-026</b> (polished aluminum)
Typical LCD Size	27–42″	30–55″	≥ 46"	≤ 42"	30–55″	30-60+"
	LCD SIZE IS APPROXIMATION, DIMENSION IS DIAC LCD SIZE MAY BE EXCEEDED AS LONG AS SCREEN WEIGHT DOES NO				E MOUNT.	
Weight Capacity	12-30 lbs (5,4-13,6 kg)	20-40 lbs (9-18 kg)	45-70 lbs (20,4-32 kg)	7-25 lbs (3,2-11,3 kg)	18-40 lbs (8,2-18,2 kg)	35-70 lbs (15,9-31,8 kg)
Lift	10" (25,4 cm)	18" (46 cm)	16" (40,6 cm)	20" (51 cm)		
Tilt	10°			75° ↑70°/↓5°	25° ↑10° / ↓15°	20° ↑5°/↓15°
Pan		_			180°	
Rotation		_		360°	10° ← 5° / → 5°	10° ← 5°/ → 5°
VESA	MIS-D/E/F See website for details	MIS-E/F See website for details	MIS-D/E/F See website for details	MIS-D/E/F See website for details	MIS-E/F See website for details	MIS-E/F See website for details
Depth	4.3" (10,9 cm)	2" (5 cm)	2.7" (6,9 cm)	4.5" (11 cm)	5.5" (14 cm)	6.5" (16,5 cm)
Extension	_			17" (43 cm)	24" (61 cm)	28" (71 cm)
Warranty	5 years				5 years	

### The broadest and best selection of charging systems!



Zip40 Charging Cart

Ergotron and Anthro Corporation have teamed up to offer the broadest and best selection of charging systems in the industry!

Manufactured in the USA, Anthro-DNA YES® charging carts and wall cabinets are a perfect complement to existing Ergotron charging system products.

#### Ergotron and Anthro-DNA strengths include:

- Fastest charging times with PowerShuttle® technology
- Universal designs fit all devices: tablets, laptops, Chromebooks and more
- Sleek, compact designs; carts have small footprints and easy maneuverability
- Durable, solid construction with security and separate IT locking areas
- · Managed & unmanaged versions
- UL or ETL certified and tested for safety to UL 60950 standard



## PowerShuttle

## The quickest charge for your tablets and laptops

Ergotron PowerShuttle® technology is a patented, embedded control system that monitors incoming current from the wall outlet and distributes it to microprocessor-controlled outlets inside the charging cart to quickly, efficiently and safely charge your devices.

- PowerShuttle charges up to 40% faster than competitors' round-robin charging systems
- Doesn't require manually switching between outlets or adjusting timers
- Limits inrush current—the instantaneous current draw when you first power on
- Prevents nuisance tripping of site circuit breakers and electromagnetic interference with other devices
- Keeps you safe from arc at the plug and hazardous touch currents

### Faster Charge

Speed



Some charging products

PowerShuttle is up to 40% faster

## Why should you care about safety certification for charging systems: the risks of using non-certified products

- 1 Critical materials are not fire resistant—This is a fire hazard if a battery or electrical fault occurs
- 2 Electrical hazards are not physically enclosed Shock hazards exist if energized circuitry can potentially be touched either directly or if exposed metal is not safely grounded or properly isolated. Fire hazards can exist if the enclosure can potentially let out flames or molten metal if an electrical fault occurs inside of the enclosure
- **3** Mechanical hazards are not mitigated If not properly tested and certified, pinch points, tip, crush or cut, sharp edges, and moving parts can injure users
- 4 Equipment ratings must meet National Electrical Code—Non-evaluated systems may exceed allowable load limits causing electrical arcing, facility problems and/or interaction and interference with other equipment
- No manufacturing factory quality surveillance—Product quality and consistency must be managed and ensured



#### SAFETY CERTIFICATION

UL 60950 Safety of Information Technology Equipment, CAN/CSA C22 2 No. 60950

UL 1678 Household, Commercial, and Institutional-Use Carts, Stands and Entertainment Centers for Use with Audio and/or Video Equipment

ICES-003 Issue 4, Class A

FCC Part 15 Class A

Country-specific certification as required

RoHS and Reach compliant material used

### Carts and cabinets for tablets, laptops & Chromebooks



YES Charging Cart for Mini-laptops-Junior (North America only)



YES Basic Charging Cart (North America only)



Tablet Management Cart



Zip12 Charging Wall Cabinet

## Visit the web site landing page at Charging.ergotron.com

### **Charging Locker**

Secure device charging for multiple users in a variety of environments

The Charging Locker is ideal for educational institutions, healthcare facilities, airports, hotels and all types of businesses where multiple users need secure charging capability. Its petite footprint saves space, and for additional user support, two Lockers can be securely stacked together.

- Charging Locker offers five roomy and separate bays within a small footprint
- Charges up to 15 devices (three per bay); includes 1 USB and 2 AC outlets
- Brackets attach locker to wall or countertop, keeping unit stable and secure
- Each bay door has a programmable lock for a unique code every time

to .	



The Charging Locker Pedestal accessory elevates the Charging Locker off the floor by 18" (45 cm) making it easier to reach the bays #98-137-A68

Part # (color)	DM05-1025-A68-1 US/CA/MX DM05-1025-A68-2 EU DM05-1025-A68-3 UK (white)			
Weight Capacity	Top: 25 lbs (11,4 kg); Per shelf: 7 lbs (3,2 kg)			
Warranty	Lifetime mechanical, 3 years electrical, 1 year cord and plug			

charging cart or cabinet for your devices:

charging.ergotron/finder

### Laptop & Chromebook solutions









Built with Anthro-DNA

Zip12 Charging Wall Cabinet

Zip12 Charging Desktop Cabinet

Zip40 Charging Cart and Zip40 Charging & Management Cart

Basic Charging Cart

				ivialiayei	nent Gart		
US/CA/MX	DM12-1006-1	DM12-	1012-1	DM40-1009-1	DM40-1008-1	YESBASGMPW4	
EU	DM12-1006-2	DM12-1012-2		DM40-1009-2	DM40-1008-2		
UK/IE	DM12-1006-3	DM12-	1012-3	DM40-1009-3	DM40-1008-3		
HK/MY/SG	DM12-1006-3	DM12-	1012-3	DM40-1009-3	DM40-1008-3		
AU/NZ	DM12-1006-4	DM12-	1012-4	DM40-1009-4	DM40-1008-4		
CN	DM12-1006-5	DM12-	1012-5	DM40-1009-5	DM40-1008-5		
JP		DM12-1012-6		DM40-1009-6	DM40-1008-6		
Screen Size	≤ 12"	≤ 14"		≤ 15.6"		≤ 14"	
# of Devices	12	8 or 12 (depending on divider configuration)		30 or 40 (depending on divider configuration)		30 or 36 (depending on divider configuration	
Cables	No	No	No	No	Ethernet CAT6	No	
Slot Size W x D x H	1.0" x 11.9" x 8.9" (2,5 x 30,2 x 22,6 cm)	1.9" x 15.3" x 9.7" (4,8 x 38,9 x 24,6 cm)	1.1" x 15.3" x 9.7" (2,7 x 38,9 x 24,6 cm)	1.9" x 17.1" x 11.2" (4,8 x 43,4 x 28,4 cm)	1.1" x 17.1" x 11.2" (2,8 x 43,4 x 28,4 cm)	Max. width/height (see website for details): 14.25" x 10" (36,1 x 25,4 cm)	
Unit Size W x D x H	26.4" x 5.9" x 35.6" (67 x 15 x 91 cm)	22" x 24.5" x 14" (56 x 62 x 35,6 cm)			.1" x 45.4" x 115 cm)	23.17" x 23.38" x 41.57" (58,85 x 59,38 x 105,58 cm)	
Power	Power Strip	PowerShuttle Technology via outlet		PowerShuttle Tec	hnology via outlet	Built-in outlets 120Vac, 60Hz, 12 Amps	
Tablet compatible	✓	✓		✓		✓	
UL 60950 certified	✓	✓		✓		✓	
Warranty	Lifetime mechanical; 3 years electrical; 1 year cables	Lifetime mechanical; 3 years electrical; 1 year cables			nechanical; al; 1 year cables	Lifetime mechanical; 3 years electrical; 1 year cables	
TAA Compliant						✓	

### **Tablet solutions**

















		7.00	7.00					U
	Tablet Management Wall Mount 10 Lightning	Tablet Management Desktop 16 ISI / Lightning	Tablet Management Desktop 16 ISI / no cabling	Tablet Management Cart 32 ISI / Lightning	Tablet Management Cart 32 ISI / no cabling	Tablet Management Cart 48 ISI / Lightning	Tablet Management Cart 48 ISI / no cabling	Zip12 Charging Wall Cabinet
US/CA/MX		DM16-1004-1		DM32-1004-1				DM12-1006-1
EU	DM10-1007-2	DM16-1004-2		DM32-1004-2		DM48-1004-2		DM12-1006-2
UK/IE	DM10-1007-3	DM16-1004-3	DM16-1024-3		DM32-1024-3		DM48-1024-3	DM12-1006-3
HK/MY/SG	DM10-1007-3						DM48-1024-3	DM12-1006-3
AU/NZ			DM16-1024-4		DM32-1024-4		DM48-1024-4	DM12-1006-4
CN			DM16-1024-5		DM32-1024-5		DM48-1024-5	DM12-1006-5
JP					DM32-1024-6		DM48-1024-6	
Screen Size	≤ 10.5"	≤ 10.5"	≤ 10.5"	≤ 10.5"	≤ 10.5"	≤ 10.5"	≤ 10.5"	≤ 12"
# of Devices	10	16	16	32	32	48	48	12
Cables	Lightning	Lightning	No	Lightning	No	Lightning	No	No
Slot Size W x D x H	0.9" x 10.9" x 7.9" (2,3 x 27,7 x 20,1 cm)	.85" x 11.3" x 7.9" (2,2 x 28,8 x 20 cm)	.85" x 11.3" x 7.9" (2,2 x 28,8 x 20 cm)	.85" x 11.3" x 7.9" (2,2 x 28,8 x 20 cm)	.85" x 11.3" x 7.9" (2,2 x 28,8 x 20 cm)	.85" x 11.3" x 7.9" (2,2 x 28,8 x 20 cm)	.85" x 11.3" x 7.9" (2,2 x 28,8 x 20 cm)	1.0" x 11.9" x 8.9" (2,5 x 30,2 x 22,6 cm)
Unit Size W x D x H	23.2" x 4.0" x 31.8" (59 x 80,9 x 10,2 cm)	18.3" x 16.2" x 10.4" (46,5 x 41,1 x 26,4 cm)	18.3" x 16.2" x 10.4" (46,5 x 41,1 x 26,4 cm)	23" x 18.4" x 39.3" (58,4 x 46,7 x 100 cm)	23" x 18.4" x 39.3" (58,4 x 46,7 x 100 cm)	23" x 18.4" x 39.3" (58,4 x 46,7 x 100 cm)	23" x 18.4" x 39.3" (58,4 x 46,7 x 100 cm)	26.4" x 5.9" x 35.6" (67 x 15 x 91 cm)
Power	Apple iOS 2.4A	Power Strip						
Made for iPad	Made for iPad	Pad iPad	_	Pad iPad	_	Made for iPad	_	_
UL 60950 certified	✓	✓	✓	✓	✓	✓	✓	✓
Warranty	5 years; 2 years power module; 1 year other electrical components	Lifetime mechanical; 3 years electrical; 1 year cables						

### Laptop & Chromebook solutions

#### Built with Anthro-DNA



Charging Cart for Mini-Laptops



Charging Cart for Mini-Laptops



Charging Cart for Mini-Laptops



YES12 Charging Cabinet for Mini-Laptops

LIC/OA/BAY			VECO 4CMDW 4	VECMODOCMDWA	VECMI COMPW
US/CA/MX			YES24GMPW4	YESMOR2GMPW4	YESMLCGMPW
EU					
UK/IE					
HK/MY/SG					
AU/NZ					
CN					
JP	YESNMJU <sup>-</sup>	10GMPW4			
Screen Size	≤ 1	14"	≤ 14"	≤ 14"	≤ 14"
# of Devices	15 or 20 (depending on divider configuration)		Up to 24 with 1.45" wide (3,6 cm) slots	30 or 36 (depending on divider configuration)	12
Cables	No		No No		No
Slot Size W x D x H	1.9" x 14.25" x 10"		1.45" x 14.25" x 10" (3,7 x 36,1 x 25,4 cm)	For up to 36 devices: 1.25" x 14.25" x 10" For up to 30 devices: 1.6" x 14.25" x 10"	1.25" x 14.25" x 10
Unit Size W x D x H	24.25" x 27.75" x 42" (61,5 x 70,4 x 106,6 cm)		27.75" x 24.25" x 42" (70 x 62 x 107 cm)	28.75" x 25" x 41.5"	22.25" x 16.75" x 24
Power	Power Strip		PowerShuttle Technology via outlet	PowerShuttle Technology via outlet	Power Strip
Tablet compatible	✓		✓	✓	✓
UL 60950 certified	✓		✓	✓	✓
Warranty	Lifetime mechanical; 3 years electrical; 1 year cables		Lifetime mechanical; 3 years electrical; 1 year cables	Lifetime mechanical; 3 years electrical; 1 year cables	Lifetime mechanica 3 years electrical; 1 year cables
TAA Compliant		/			✓

### **Tablet solutions**







#### Built with Anthro-DNA







	Charging	o12 Desktop inet	2ip40 Ch	orging Cart nd narging & nent Cart	YES Basic Charging Cart	YES Charging for Ta	Cabinet
US/CA/MX	DM12-	1012-1	DM40-1009-1 DM40-1008-1		YESBASGMPW4	YESCA	BGMPW
EU	DM12-	1012-2	DM40-1009-2	DM40-1008-2			
UK/IE	DM12-	1012-3	DM40-1009-3	DM40-1008-3			
HK/MY/SG	DM12-	1012-3	DM40-1009-3	DM40-1008-3			
AU/NZ	DM12-	1012-4	DM40-1009-4	DM40-1008-4			
CN	DM12-	1012-5	DM40-1009-5	DM40-1008-5			
JP	DM12-	1012-6	DM40-1009-6	DM40-1008-6			
Screen Size	≤ 14"		≤ 15.6"		≤ 14"	≤ 10"	
# of Devices	8 or 12 (depending on divider configuration)		30 or 40 (depending on divider configuration)		30 or 36 (depending on divider configuration)	16 or 20 (depending on divider configuration	
Cables	No	No	No		No	No	
Slot Size W x D x H	1.9" x 15.3" x 9.7" (4,8 x 38,9 x 24,6 cm)	1.1" x 15.3" x 9.7" (2,8 x 38,9 x 24,6 cm)	1.9" x 17.1" x 11.2" (4,8 x 43,4 x 28,4 cm)	1.1" x 17.1" x 11.2" (2,8 x 43,4 x 28,4 cm)	Max. width/height (see website for details): 14.25" x 10" (36,1 x 25,4 cm)	1.25" x 10.5" x 8.5"	.87"x 10.5" x 8.5"
Unit Size W x D x H	22" x 24.5" x 14" (56 x 62 x 35,6 cm)		30.3" x 26.1" x 45.4" (77 x 66 x 115 cm)		23.17" x 23.38" x 41.57" (58,85 x 59,38 x 105,58 cm)	22" x 12,75" x 24" (56 x 61 x 32 cm)	
Power	PowerShuttle Technology via outlet		PowerShuttle Technology via outlet		Power Strip with built-in timing device	Power Strip	
Made for iPad	_		_		_	_	
UL 60950 certified	✓		✓		✓	✓	
Warranty	Lifetime mechanical; 3 years electrical; 1 year cables		Lifetime mechanical; 3 years electrical; 1 year cables		Lifetime mechanical; 3 years electrical; 1 year cables	Lifetime mechanical; 3 years electrical; 1 year cables	
TAA Compliant					✓	v	/



The science behind the need to stand



The American Medical Association (AMA) agrees that sitting for extended periods of time can be bad for personal health. Their newly adopted policy recommends business organizations offer sitting alternatives, including standing desks.



A recent study published by the CDC (Centers for Disease Control) indicates adjustable sit-to-stand products are an effective solution for reducing prolonged sitting. Sit or stand, instantly, while remaining effectively engaged with your computer.

A 2010 University of Queensland, Australia study found that even when adults meet physical activity guidelines, sitting for prolonged periods can compromise metabolic health.

#### Sit less. Stand more. Start now!

### Take a stand against illnesses linked to prolonged sitting

For more than three decades, Ergotron has designed ergonomic workstations to make computing more comfortable and better for you. Our extensive line of sit-stand workstations and desks gives computer users a much healthier and more productive way to work.

#### Sit-stand workstations are:

FLEXIBLE — a solution for every computer user and every computing configuration ERGONOMIC — effortless height adjustability for sit-stand comfort; accessories also available AFFORDABLE — many economical ways to fight "sitting disease"

### **NEW! WorkFit-TX Sit-Stand Desktop Workstation**

Premium ergonomics any way you work

- · Delivers leading ergonomics sitting or standing with 17" (43,2 cm) of vertical height adjustment, plus 3" (6,2 cm) of keyboard adjustment
- · Ultra-low design offers a sleek look and ergonomic fit for a wide range of users
- Drop-down tray places your keyboard at the most comfortable ergonomic position
- Ships fully assembled with out-of-the-box installation that gets you standing faster
- Guaranteed with a full five-year warranty Black #33-467-921



### Other popular WorkFit™ sit-stand products



WorkFit-SR, 1 Monitor 33-415-085 (black) 33-415-062 (white)



WorkFit-SR, **Dual Monitor** 33-407-085 (black) 33-407-062 (white)



WorkFit-A with Worksurface+ Single LD 24-317-026 Dual 24-316-026



Suspended Keyboard Single LD 24-390-026 Single HD 24-391-026 Dual 24-392-026

WorkFit-A with



WorkFit-S with Worksurface+

White

Single, LD 33-350-211 Single, HD 33-351-211 Ďual 33-349-211 Black

Single, LD 33-350-200 Single, HD 33-351-200 Dual 33-349-200



WorkFit-S, Dual 33-341-200 (black)



WorkFit-LX, Sit-Stand **Desk Mount System** 

45-405-026 (polished aluminum/black)



WorkFit-DL Sit-Stand Desk 24-567-F03 (black) 24-567-F13 (maple) 24-567-F59 (wenge)

### Customer focused. Certified expert technicians.

From expert product installation and preventive maintenance to next-day on-site service, Ergotron offers a variety of service packages to meet your organization's ongoing product support needs.

The all-inclusive approach to our service packages makes them a predictable expense for your organization. Packages are available pre- and post-sale.

**CERTIFIED** 

ERVICE

#### A range of services are available:

- Installation and integration
- · Next-business-day on-site service
- Preventive maintenance
- · Extended warranties
- In-warranty and post-warranty repairs
- In-depth product training on site
- · Equipment audit and health check

#### Our certified service technicians can help you:

- Seamlessly integrate and deploy products, including integrating hardware, making proper adjustments and managing cables
- Prevent costly downtime
- Alleviate burdens on your internal resources

#### Services are available for:

- LearnFit desks
- Charging systems
- WorkFit sit-stand workstations
- Desk and wall mount monitor arms
- Powered desks
- StyleView medical carts and wall mounts
- Mobile workstations



Ergotron certified service packages make life easier for all stakeholders and are designed to protect your investment



## LX and MX desk mount arms offer flexibility and independent movement of display(s)



LX Dual Side-by-Side Arm 45-245-026 (polished aluminum/black) 45-491-216 (white)



LX Dual Stacking Arm 45-248-026 (polished aluminum/black) 45-492-216 (white)



LX Sit-Stand Desk Monitor Arm 45-360-026 HD Version 45-384-026 (polished aluminum/black)



LX Desk Monitor Arm 45-241-026 (polished aluminum/black)

45-490-216 (white)
with Tall Pole
45-295-026 (polished aluminum)



MX Mini Desk Arm

45-436-026 (Available in NA: polished aluminum) 45-436-216 (Available in EMEA/APAC: white) 45-436-231 (Available in APAC: silver)

## Products designed to help caregivers thrive

Enhance personal interaction • Expand reach • Improve operational efficiency



Point-of-care and telemedicine StyleView carts



Ergonomic sit-stand workstations



Mobile display and video conferencing solutions



Point-of-care wall mount products



Display and digital signage mounts

© 2018 Ergotron, Inc. Literature made in U.S.A. 870-01-012-EA rev. 10/17/18 Content is subject to change without notification.

Ergotron devices are not intended to cure, treat, mitigate or prevent any disease. StyleView, Neo-Flex, PowerShuttle and WorkFit are registered trademarks of Ergotron in the U.S.A. and China.

Americas Sales and Corporate Headquarters	EMEA Sales	APAC Sales	Worldwide OEM Sales
St. Paul, MN USA	Amersfoort, The Netherlands	Tokyo, Japan	www.ergotron.com

(800) 888-8458 +1-651-681-7600 www.ergotron.com sales@ergotron.com +31 33 45 45 600 www.ergotron.com info.eu@ergotron.com

www.ergotron.com apaccustomerservice@ergotron.com info.oem@ergotron.com









